

Top-Level Code Walk-Through: scalarTransportFoam and magU

Hrvoje Jasak

`h.jasak@wikki.co.uk`

Wikki Ltd, United Kingdom

Objective

- Detailed source code walk through simple executables
 - `scalarTransportFoam`: scalar transport equation with prescribed velocity
 - `magU`: velocity field magnitude utility

Topics

- Types of source files: headers, include files and compiled files
- `scalarTransportFoam` walk-through
- `magU` walk-through
- `wmake` build system

Structure of a Top-Level Solver

- **Header files**

- Located before the `main(int argc, char *argv[])` statement
- Contain class definition for all classes used in the solver code
- Packed for convenience, e.g. `#include "fvCFD.H"` for the FVM

- **Include files**

- Code snippets that are repeated in many places are packed into files
- Example:

```
# include "setRootCase.H"  
# include "createTime.H"  
# include "createMesh.H"
```

- **createFields.H**

- Contains field and material property definition used by the equation

- **Time loop and equations**

- Contains equation set to be solved, together with auxiliary functionality
- Best documentation for implemented algorithm
- `runTime.write()`; triggers database I/O for automatic objects

scalarTransportFoam Walk-Through

- Create a field by reading it from a file

```
volScalarField T
(
    IOobject
    (
        "T",
        runTime.timeName(),
        mesh,
        IOobject::MUST_READ,
        IOobject::AUTO_WRITE
    ),
    mesh
);
```

- Read options: MUST_READ, READ_IF_PRESENT, NO_READ
- Write options: NO_WRITE, AUTO_WRITE
- IOobject and regIOobject: registration with object database for automatic read-write operations

scalarTransportFoam Walk-Through

- Retrieving data from a dictionary

```
IOdictionary transportProperties
(
    IOobject
    (
        "transportProperties",
        runTime.constant(),
        mesh,
        IOobject::MUST_READ,
        IOobject::NO_WRITE
    )
);

dimensionedScalar DT
(
    transportProperties.lookup("DT")
);
```

scalarTransportFoam Walk-Through

- Dictionary format: file header (IObject) and keyword-value entry pairs

```
/*-----*-- C++ -*-----*
|
| F i e l d           | foam-extend: Open Source CFD
| O p e r a t i o n   | Version:      3.2
| A n d               | Web:          http://www.foam-extend.org
| M a n i p u l a t i o n | For copyright notice see file Copyright
|-----*/
FoamFile
{
    version            2.0;
    format              ascii;
    class               dictionary;
    object              transportProperties;
}

// Diffusivity
DT [0 2 -1 0 0 0 0] 0.01;
```

- Here, first DT is the **keyword**, and the rest of the data up to ; creates a Istream from which the object will be created

scalarTransportFoam Walk-Through

- Time loop: note consistent naming of objects: mesh, runTime etc.

```
for (runTime++; !runTime.end(); runTime++)
{
    Info<< "Time = " << runTime.timeName() << nl << endl;

    # include "readSIMPLEControls.H"

    for (int nonOrth=0; nonOrth<=nNonOrthCorr; nonOrth++)
    {
        solve
        (
            fvm::ddt(T)
            + fvm::div(phi, T)
            - fvm::laplacian(DT, T)
        );
    }

    runTime.write();
}
```

magU Walk-Through

- Example of a utility performing post-processing on data written out in files
- Algorithm: go through all time directories, read velocity field if present, write out its magnitude
- applications/utilities/postProcessing/velocityField/magU
- Add option to operate only on chosen time directory:
Usage: magU <root> <case> [-parallel] [-constant]
[-latestTime] [-time time]
- The loop now involves data directories found in the case, rather than advancing through time

```
instantList Times = runTime.times();

// set startTime and endTime depending on -time and -latestTime
# include "checkTimeOptions.H"

runTime.setTime(Times[startTime], startTime);
for (label i=startTime; i<endTime; i++)
{
    runTime.setTime(Times[i], i);
    ...
}
```


Example: Calculate and Write Velocity Magnitude

- Attempt to read the velocity

```
IOobject Uheader
(
    "U",
    runtime.timeName(),
    mesh,
    IOobject::MUST_READ
);

if (Uheader.headerOk())
{
    mesh.readUpdate();

    Info<< "    Reading U" << endl;
    volVectorField U(Uheader, mesh);
    ...
}
else
{
    Info<< "    No U" << endl;
}
```

Example: Calculate and Write Velocity Magnitude

- Calculate and write velocity magnitude: `mag(U)`!
- Note the use of alternative constructor and read/write options

```
Info<< "      Calculating magU" << endl;
volScalarField magU
(
    IOobject
    (
        "magU",
        runTime.timeName(),
        mesh,
        IOobject::NO_READ,
        IOobject::NO_WRITE
    ),
    mag(U)
);

Info << "mag(U): max: " << gMax(magU.internalField())
      << " min: " << gMin(magU.internalField()) << endl;

magU.write();
```

Using wmake Build System

- Build system controlled by files in `Make` directory
- Sub-directories organised by platform type and options: `WM_OPTIONS`
- `Make/files` lists source files and location of executable or library

```
scalarTransportFoam.C  
EXE = $(FOAM_APPBIN)/scalarTransportFoam
```

- `Make/options` lists include paths and library dependencies

```
EXE_INC = -I$(LIB_SRC)/finiteVolume/lnInclude  
EXE_LIBS = -lfiniteVolume
```

- Relevant Make system variables

- `EXE`: Location for the executable. Use `FOAM_APPBIN` or `FOAM_USER_APPBIN`
- `LIB`: location for the library. Use `FOAM_LIBBIN` or `FOAM_USER_LIBBIN`
- `EXE_INC`: location of include paths. Use `LIB_SRC`; each library soft-lints all files into `lnInclude` directory for easy inclusion of search paths
- `EXE_LIBS`, `LIB_LIBS`: Link libraries for executables or other libraries

Summary

- A bulk of OpenFOAM executables follow the same pattern
- Top-level objects used repeatedly are consistently named: `mesh`, `runTime`
- Top-level physics solver codes operate in a time- or iteration loop
- Post-processing utilities operate in a loop over existing data directories
- `wmake` build system is controlled by files in the `Make` directory